AMENDMENTS TO THE CLAIMS:

Please replace the claims with the claims provided in the listing below wherein status, amendments, additions and cancellations are indicated.

1. (Currently Amended) A composition for dyeing, printing, or coating comprising:

an aqueous-emulsion-type acrylic pressure-sensitive adhesive; a cationic water-soluble polymer; and

<u>a</u> functional <u>substance</u> substances selected from the group consisting of a dye, pigment, drug, deodorant, or perfume,

said composition being obtained by mixing said aqueous-emulsion-type acrylic pressure-sensitive adhesive with said cationic water-soluble polymer and then mixing a resultant mixture with said functional <u>substance</u> substances,

wherein said aqueous-emulsion-type acrylic pressure-sensitive adhesive comprises 45 to 50% by weight of an aqueous medium and 50 to 55% by weight of a resin and has a mean particle diameter of 0.2 to 0.5 µm mm;

and said resultant mixture comprises 10 to 50% by weight of said aqueous-emulsion-type acrylic pressure-sensitive adhesive and 50 to 90% by weight of the cationic water-soluble polymer.

- 2. (Previously Presented) A composition according to claim 1, wherein said resin contains an acrylic monomer and a vinyl acetate monomer as polymeric monomer components.
- 3. (Previously Presented) A composition according to claim 1, wherein said resin contains ethylene and a vinyl acetate monomer as polymeric monomer components.
- 4. (Previously Presented) A composition according to claim 1, wherein a particle charge of said aqueous-emulsion-type acrylic pressure-sensitive adhesive is anionic.
- 5. (Currently Amended) A composition according to claim 1, wherein said functional <u>substance</u> substance substance is anionic in an aqueous medium.
- 6. (Currently Amended) A composition according to claim 1, wherein said cationic water-soluble polymer comprises a monoallylamine monoarylamine derivative represented by the following formula 1 or a polymer of a salt thereof, or a copolymer of A) a monoallylamine monoarylamine derivative or a polymer of a salt thereof and B) a monomer having an unsaturated double bond copolymerizable with A) said polymers, said formula 1 being as follows:

Ser. No. 10/550,981

Docket No. F-8846

 $CH_2 = CH - CH_2 - NHR$

(wherein R represents a hydrogen atom, an alkyl group having 1 to 18 carbon atoms, a substituted alkyl group, an aralkyl group, or a cycloalkyl group).

- 7. (Currently Amended) A coating composition obtained by mixing an aqueous-emulsion-type acrylic pressure-sensitive adhesive with a cationic water-soluble polymer, wherein said aqueous-emulsion-type acrylic pressure-sensitive adhesive comprises 45 to 50% by weight of an aqueous medium and 50 to 55% by weight of a resin, and has a viscosity of 6,000 to 10,000 mPa×s/30°C and a mean particle diameter of 0.2 to 0.5 µm mm, and wherein said composition comprises 10 to 50% by weight of said aqueous-emulsion-type acrylic pressure-sensitive adhesive and 50 to 90% by weight of the cationic water-soluble polymer.
- 8. (Previously Presented) A coating composition according to claim 7, wherein said resin contains an acrylic monomer and a vinyl acetate monomer as polymeric monomer components.
- 9. (Previously Presented) A coating composition according to claim 7, wherein said resin contains ethylene and a vinyl acetate monomer as polymeric monomer components.

- 10. (Original) A coating composition according to claim 7, wherein a particle charge of said aqueous-emulsion-type acrylic pressure-sensitive adhesive is anionic.
- 11. (Currently Amended) A coating composition according to claim 7, wherein said cationic water-soluble polymer comprises a monoallylamine monoarylamine derivative represented by the following formula 1 or a polymer of a salt thereof, or a copolymer of A) a monoallylamine monoarylamine derivative or a polymer of a salt thereof and B) a monomer having an unsaturated double bond copolymerizable with A) said polymers, said formula 1 being as follows:

$$CH_2 = CH - CH_2 - NHR$$

(wherein R represents a hydrogen atom, an alkyl group having 1 to 18 carbon atoms, a substituted alkyl group, an aralkyl group, or a cycloalkyl group).

- 12. (New) The composition according to claim 1, wherein said aqueousemulsion-type acrylic pressure-sensitive adhesive comprises an emulsifying agent, said emulsifying agent being an anionic surfactant.
- 13. (New) The composition according to claim 7, wherein said aqueousemulsion-type acrylic pressure-sensitive adhesive comprises an emulsifying agent, said emulsifying agent being an anionic surfactant.